



# Electro Storm Accessory Data Book

## CS15/XT26 Reflector Kit

### Main Features

- 20° Narrow and 50° Wide Reflectors for the Electro Storm CS15 and XT26
- Included **Protective Rolling Hard Case** For Storing and Transporting Both Reflectors
- Uniform Edge-to-Edge Light Output Distribution With No Hotspots

### Photometrics

CCT	Dis.	CS15 with 50° Reflector	CS15 with 20° Reflector	XT26 with 50° Reflector	XT26 with 20° Reflector
2,000K	3m	5,310 lux 493 fc	30,100 lux 2,796 fc	18,730 lux 1,790 fc	107,800 lux 10,015 fc
	5m	2,034 lux 189 fc	10,450 lux 971 fc	6,990 lux 649 fc	35,900 lux 3,335 fc
3,200K	3m	15,210 lux 1,413 fc	85,400 lux 7,934 fc	23,780 lux 2,209 fc	136,100 lux 12,644 fc
	5m	5,760 lux 535 fc	30,100 lux 2,796 fc	8,850 lux 822 fc	45,600 lux 4,236 fc
4,300K	3m	15,980 lux 1,485 fc	91,800 lux 8,528 fc	31,700 lux 2,945 fc	181,700 lux 16,880 fc
	5m	6,120 lux 569 fc	31,600 lux 2,936 fc	11,820 lux 1,098 fc	61,000 lux 5,667 fc
5,600K	3m	16,740 lux 1,555 fc	94,500 lux 8,779 fc	33,600 lux 3,122 fc	193,100 lux 17,940 fc
	5m	6,420 lux 596 fc	33,100 lux 3,075 fc	12,540 lux 1,165 fc	64,700 lux 6,011 fc
10,000K	3m	14,420 lux 1,340 fc	82,400 lux 7,655 fc	29,000 lux 2,694 fc	165,900 lux 15,413 fc
	5m	5,530 lux 514 fc	28,600 lux 2,657 fc	10,790 lux 1,002 fc	55,600 lux 5,165 fc



### What's in the Box

Name	Qty
Narrow-Angle Reflector-AM6820	1
Wide-Angle Reflector-AM6850	1
CS15/XT26 Reflector Kit Flight Case	1



### Product Description

The CS15/XT26 Reflector Kit is a rental-ready kit of a 20° Narrow and 50° Wide Reflector for the Electro Storm CS15 or XT26 packaged in a sturdy rolling flight case. This kit expands the beam angle options of the CS15 and XT26, allowing users to obtain either an intense and narrow or a smooth and wide push of light.

### Specifications

Beam Angle	Narrow Reflector	20°
	Wide Reflector	50°
Dimensions	Narrow Reflector	37.4ø x 53.7 cm 14.7ø x 21.1 in
	Wide Reflector	27.8ø x 19.2 cm 10.9ø x 7.6 in
	Hard Case	87.0 x 67.0 x 67.0cm 34.3 x 26.4 x 26.4in
Weight	Narrow Reflector	3.8kg / 8.4lbs
	Wide Reflector	1.2kg / 2.7lbs
	Hard Case	19.00kg / 41.89lbs

### Sales & Shipping Information

Product Name	CS15/XT26 Reflector Kit
SKU	APP3738A99
UPC	6971842188994
Packing Dimensions	87.0 x 67.0 x 67.0cm 34.3 x 26.4 x 26.4in
Net Weight	5.00kg / 11.02lbs
Gross Weight	56.00kg / 123.46lbs
Carton Quantity	1 pc
Carton Dimensions	87.0 x 67.0 x 67.0cm 34.3 x 26.4 x 26.4in
Carton Weight	56.00kg / 123.46lbs



# Electro Storm Accessory Data Book

## CS15/XT26 Head Cable (15m)

### Product Description

The CS15/XT26 Head Cable (15m) is a 15-meter head cable interchangeable between the CS15 and XT25. This head cable is twice as long as the standard cable included in each CS15 and XT26 box, allowing for users to rig these fixtures further from their control boxes.

### What's in the Box

Name	Qty
CS15/XT26 Head Cable (15m)	1

## CS15/XT26 Head Cable (7.5m)

### Product Description

The CS15/XT26 Head Cable (7.5m) is a 7.5-meter head cable interchangeable between the CS15 and XT25. This is the head cable that comes standard in each CS15 and XT26 box.

### What's in the Box

Name	Qty
CS15/XT26 Head Cable (7.5m)	1

## LP-24 to NEMA 20A Power Input AC Cable - 6m (US)

### Product Description

The Aputure LP-24 to NEMA 20A Power Input AC Cable - 6m (US) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a NEMA 20A plug, commonly found in the US.

### What's in the Box

Name	Qty
LP-24 to NEMA 20A Power Input AC Cable - 6m (US)	1



### Sales & Shipping Information

Product Name	CS15/XT26 Head Cable (15m)
SKU	APP3738A9A
UPC	6971842189014
Packing Dimensions	41.5 x 10.0 x 58.5cm / 16.3 x 3.9 x 23.0in
Net Weight	6.15kg / 35.6lbs
Gross Weight	7.00kg / 15.43lbs
Carton Quantity	3 pcs
Carton Dimensions	60.5 x 34.0 x 44.0cm / 23.8 x 13.4 x 17.3in
Carton Weight	23.00kg / 50.71lbs



### Sales & Shipping Information

Product Name	CS15/XT26 Head Cable (7.5m)
SKU	APP3738A90
UPC	6971842189007
Packing Dimensions	41.6 x 36.6 x 9.2cm / 16.4 x 14.4 x 3.6in
Net Weight	3.15kg / 6.94lbs
Gross Weight	3.50kg / 7.72lbs
Carton Quantity	6 pcs
Carton Dimensions	58.5 x 43.8 x 38.7cm / 23.0 x 17.2 x 15.24in
Carton Weight	23.00kg / 50.71lbs



### Sales & Shipping Information

Product Name	LP-24 to NEMA 20A Power Input AC Cable - 6m (US)
SKU	APPO307A97
UPC	6971842188604
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	1.41kg / 3.11lbs
Gross Weight	1.73kg / 3.81lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	18.50kg / 40.79lbs



# Electro Storm Accessory Data Book

## LP-24 to Type-F 10A Power Input AC Cable - 6m (EU)

### Product Description

The Aputure LP-24 to Type-F 10A Power Input AC Cable - 6m (EU) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a Type-F 10A plug, commonly found in the EU.

### What's in the Box

Name	Qty
LP-24 to Type-F 10A Power Input AC Cable - 6m (EU)	1

## LP-24 to Type-I 10A Power Input AC Cable - 6m (AU)

### Product Description

The Aputure LP-24 to Type-I 10A Power Input AC Cable - 6m (AU) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a Type-I 10A plug, commonly found in Australia.

### What's in the Box

Name	Qty
LP-24 to Type-I 10A Power Input AC Cable - 6m (AU)	1

## LP-24 to Type-G 10A Power Input AC Cable - 6m (UK)

### Product Description

The Aputure LP-24 to Type-G 10A Power Input AC Cable - 6m (UK) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a Type-G 10A plug, commonly found in the UK.

### What's in the Box

Name	Qty
LP-24 to Type-G 10A Power Input AC Cable - 6m (UK)	1



### Sales & Shipping Information

Product Name	LP-24 to Type-F 10A Power Input AC Cable - 6m (EU)
SKU	APPO307A98
UPC	6971842188611
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	0.85kg / 1.87lbs
Gross Weight	1.20kg / 2.65lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	18.00kg / 39.68lbs



### Sales & Shipping Information

Product Name	LP-24 to Type-I 10A Power Input AC Cable - 6m (AU)
SKU	APPO307A99
UPC	6971842188628
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	0.90kg / 1.98lbs
Gross Weight	1.15kg / 2.54lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	17.3kg / 38.14lbs



### Sales & Shipping Information

Product Name	LP-24 to Type-G 10A Power Input AC Cable - 6m (UK)
SKU	APPO307A90
UPC	6971842188635
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	0.87kg / 1.92lbs
Gross Weight	1.12kg / 2.47lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	16.82kg / 37.08lbs



# Electro Storm Accessory Data Book

## LP-24 to C-30P 20A Power Input AC Cable - 6m (JP)

### Product Description

The Aputure LP-24 to C-30P 20A Power Input AC Cable - 6m (JP) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a C-30P 20A plug, commonly found in Japan.

### What's in the Box

Name	Qty
LP-24 to C-30P 20A Power Input AC Cable - 6m (JP)	1

## LP-24 to CEE 10A Power Input AC Cable - 6m (CN)

### Product Description

The Aputure LP-24 to CEE 10A Power Input AC Cable - 6m (CN) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a CEE 10A plug, commonly found in China.

### What's in the Box

Name	Qty
LP-24 to CEE 10A Power Input AC Cable - 6m (CN)	1

## LP-24 to Type-B 15A Power Input AC Cable - 6m (US)

### Product Description

The Aputure LP-24 to Type-B 15A Power Input AC Cable - 6m (US) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a Type-B 15A plug, commonly found in the US.

### What's in the Box

Name	Qty
LP-24 to Type-B 15A Power Input AC Cable - 6m (US)	1



### Sales & Shipping Information

Product Name	LP-24 to C-30P 20A Power Input AC Cable - 6m (JP)
SKU	APPO307A9A
UPC	6971842188642
Packing Dimensions	35.6 x 35.6 x 8.2cm / 14.0 x 14.0 x 3.2in
Net Weight	1.92kg / 4.23lbs
Gross Weight	2.41kg / 5.31lbs
Carton Quantity	7 pcs
Carton Dimensions	60.5 x 37.6 x 38.1cm / 23.8 x 14.8 x 15.0in
Carton Weight	18.07kg x 39.84lbs



### Sales & Shipping Information

Product Name	LP-24 to CEE 10A Power Input AC Cable - 6m (CN)
SKU	APPO307A9B
UPC	6971842188659
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	0.94kg / 2.07lbs
Gross Weight	1.26kg / 2.78lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	13.8kg / 30.42lbs



### Sales & Shipping Information

Product Name	LP-24 to Type-B 15A Power Input AC Cable - 6m (US)
SKU	APPO307A9C
UPC	6971842188666
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	1.01kg / 2.23lbs
Gross Weight	1.24kg / 2.73lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	19.00kg / 41.89lbs



# Electro Storm Accessory Data Book

## LP-24 to Type-B 15A Power Input AC Cable - 6m (JP)

### Product Description

The Aputure LP-24 to Type-B 15A Power Input AC Cable - 6m (JP) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a Type-B 15A plug, commonly found in Japan.

### What's in the Box

Name	Qty
LP-24 to Type-B 15A Power Input AC Cable - 6m (JP)	1

## LP-24 to Bare Leads 20A Power Input AC Cable - 6m

### Product Description

The Aputure LP-24 to Bare Ends 20A Power Input AC Cable (6m) is a 6-meter AC power cable for the Electro Storm CS15 featuring a bare end, allowing users to choose their own termination to connect to a power source.

### What's in the Box

Name	Qty
LP-24 to Bare Leads 20A Power Input AC Cable - 6m	1

## LP-24 to Type-I 10A Power Input AC Cable - 6m (CN)

### Product Description

The Aputure LP-24 to Type-I 10A Power Input AC Cable - 6m (CN) is an AC power cable for the Electro Storm CS15. The control box end of the cable terminates in an LP-24 connector and the power source end terminates in a Type-I 10A plug, commonly found in China.

### What's in the Box

Name	Qty
LP-24 to Type-I 10A Power Input AC Cable - 6m (CN)	1



### Sales & Shipping Information

Product Name	LP-24 to Type-B 15A Power Input AC Cable - 6m (JP)
SKU	APPO307A9D
UPC	6971842188673
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	0.95kg / 2.09lbs
Gross Weight	1.19kg / 2.62lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	18.20kg x 40.12lbs



### Sales & Shipping Information

Product Name	LP-24 to Bare Leads 20A Power Input AC Cable - 6m
SKU	APNO307A93
UPC	6971842188680
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	1.33kg / 2.93lbs
Gross Weight	1.64kg / 3.62lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	18.00kg / 39.68lbs



### Sales & Shipping Information

Product Name	LP-24 to Type-I 10A Power Input AC Cable - 6m (CN)
SKU	APNO307A94
UPC	6977162450537
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	0.84kg / 1.85lbs
Gross Weight	1.16kg / 2.56lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	13.60kg / 30.00lbs



# Electro Storm Accessory Data Book

## LP-28 to Bates 40A Power Input AC Cable - 6m (US)

### Product Description

The Aputure LP-28 to Bates 40A Power Input AC Cable - 6m (US) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a male 40A Bates connector.

### What's in the Box

Name	Qty
LP-28 to Bates 40A Power Input AC Cable - 6m (US)	1

## LP-28 to CEE 16A Power Input AC Cable - 6m (EU/UK/CN)

### Product Description

The Aputure LP-28 to CEE 16A Power Input AC Cable - 6m (EU/UK/CN) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a CEE 16A connector.

### What's in the Box

Name	Qty
LP-28 to CEE 16A Power Input AC Cable - 6m (EU/UK/CN)	1

## LP-28 to C-30P 16A Power Input AC Cable - 6m (KR)

### Product Description

The Aputure LP-28 to C-30P 16A Power Input AC Cable - 6m (KR) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a C-30P 16A connector.

### What's in the Box

Name	Qty
LP-28 to C-30P 16A Power Input AC Cable - 6m (KR)	1



### Sales & Shipping Information

Product Name	LP-28 to Bates 40A Power Input AC Cable - 6m (US)
SKU	APPO308A95
UPC	6971842188819
Packing Dimensions	41.6 x 36.6 x 9.2cm / 16.4 x 14.4 x 3.6in
Net Weight	3.34kg / 7.36lbs
Gross Weight	3.93kg / 8.66lbs
Carton Quantity	6 pcs
Carton Dimensions	58.5 x 43.8 x 38.7cm / 23.0 x 17.2 x 15.2in
Carton Weight	24.8kg / 54.67lbs



### Sales & Shipping Information

Product Name	LP-28 to CEE 16A Power Input AC Cable - 6m (EU/UK/CN)
SKU	APPO308A96
UPC	6971842188826
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	2.30kg / 5.07lbs
Gross Weight	2.60kg / 5.73lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	28.00kg / 61.73lbs



### Sales & Shipping Information

Product Name	LP-28 to C-30P 16A Power Input AC Cable - 6m (KR)
SKU	APPO308A98
UPC	6971842188840
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	2.30kg / 5.07lbs
Gross Weight	2.60kg / 5.73lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	28.00kg / 61.73lbs



# Electro Storm Accessory Data Book

## LP-28 to Type-B 15A Power Input AC Cable - 6m (US)

### Product Description

The Aputure LP-28 to Type-B 15A Power Input AC Cable - 6m (US) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a male Type-B 15A connector.

### What's in the Box

Name	Qty
LP-28 to Type-B 15A Power Input AC Cable - 6m (US)	1

## LP-28 to Type-B 15A Power Input AC Cable - 6m (JP)

### Product Description

The Aputure LP-28 to Type-B 15A Power Input AC Cable - 6m (JP) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a Type-B 15A connector.

### What's in the Box

Name	Qty
LP-28 to Type-B 15A Power Input AC Cable - 6m (JP)	1

## LP-28 to Type-F 10A Power Input AC Cable - 6m (EU)

### Product Description

The Aputure LP-28 to Type-F 10A Power Input AC Cable - 6m (KR) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a Type-F 10A connector.

### What's in the Box

Name	Qty
LP-28 to Type-F 10A Power Input AC Cable - 6m (EU)	1



### Sales & Shipping Information

Product Name	LP-28 to Type-B 15A Power Input AC Cable - 6m (US)
SKU	APPO308A99
UPC	6971842188857
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	1.06kg / 2.34lbs
Gross Weight	1.29kg / 2.84lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	19.70kg / 43.43lbs



### Sales & Shipping Information

Product Name	LP-28 to Type-B 15A Power Input AC Cable - 6m (JP)
SKU	APPO308A90
UPC	6971842188864
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	1.01kg / 2.23lbs
Gross Weight	1.24kg / 2.73lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	19.00kg / 41.89lbs



### Sales & Shipping Information

Product Name	LP-28 to Type-F 10A Power Input AC Cable - 6m (EU)
SKU	APPO308A9A
UPC	6971842188871
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	0.90kg / 1.98lbs
Gross Weight	1.14kg / 2.51lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	17.45kg / 38.47lbs



# Electro Storm Accessory Data Book

## LP-28 to Type-I 10A Power Input AC Cable - 6m (AU)

### Product Description

The Aputure LP-28 to Type-I 10A Power Input AC Cable - 6m (AU) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a male Type-I 10A connector.

### What's in the Box

Name	Qty
LP-28 to Type-I 10A Power Input AC Cable - 6m (AU)	1

## LP-28 to Type-G 10A Power Input AC Cable - 6m (UK)

### Product Description

The Aputure LP-28 to Type-G 10A Power Input AC Cable - 6m (UK) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a Type-G 10A connector.

### What's in the Box

Name	Qty
LP-28 to Type-G 10A Power Input AC Cable - 6m (UK)	1

## LP-28 to Bare Leads 40A Power Input AC Cable - 6m

### Product Description

The Aputure LP-28 to Bare Ends 40A Power Input AC Cable - 6m is a 6-meter AC power cable for the Electro Storm XT26 featuring a bare end, allowing users to choose their own termination to connect to a power source.

### What's in the Box

Name	Qty
LP-28 to Bare Leads 40A Power Input AC Cable - 6m	1



### Sales & Shipping Information

Product Name	LP-28 to Type-I 10A Power Input AC Cable - 6m (AU)
SKU	APPO308A9B
UPC	6971842188888
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	2.30kg / 5.07lbs
Gross Weight	2.60kg / 5.73lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	28.00kg / 61.73lbs



### Sales & Shipping Information

Product Name	LP-28 to Type-G 10A Power Input AC Cable - 6m (UK)
SKU	APPO308A9C
UPC	6971842188895
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	1.00kg / 2.20lbs
Gross Weight	1.24kg / 2.73lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	19.00kg / 41.89lbs



### Sales & Shipping Information

Product Name	LP-28 to Bare Leads 40A Power Input AC Cable - 6m
SKU	APNO308A93
UPC	6971842188901
Packing Dimensions	41.6 x 36.6 x 9.2cm / 16.4 x 14.4 x 3.6in
Net Weight	3.15kg / 6.94lbs
Gross Weight	3.50kg / 7.72lbs
Carton Quantity	6 pcs
Carton Dimensions	58.5 x 43.8 x 38.7cm / 23.0 x 17.2 x 15.2in
Carton Weight	23.00kg / 50.71lbs



# Electro Storm Accessory Data Book

## LP-28 to Type-I 16A Power Input AC Cable - 6m (AU)

### Product Description

The Aputure LP-28 to Type-I 16A Power Input AC Cable - 6m (AU) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a male Type-I 16A connector.

### What's in the Box

Name	Qty
LP-28 to Type-I 16A Power Input AC Cable - 6m (AU)	1

## LP-28 to Type-I 10A Power Input AC Cable - 6m (CN)

### Product Description

The Aputure LP-28 to Type-I 10A Power Input AC Cable - 6m (CN) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a Type-I 10A connector.

### What's in the Box

Name	Qty
LP-28 to Type-I 10A Power Input AC Cable - 6m (CN)	1

## LP-28 to Type-B 20A Power Input AC Cable - 6m (US)

### Product Description

The Aputure LP-28 to Type-B 20A Power Input AC Cable - 6m (US) is an AC power cable for the Electro Storm XT26. The control box end of the cable terminates in an LP-28 connector and the power source end terminates in a Type-B 20A connector.

### What's in the Box

Name	Qty
LP-28 to Type-B 20A Power Input AC Cable - 6m (US)	1



### Sales & Shipping Information

Product Name	LP-28 to Type-I 16A Power Input AC Cable - 6m (AU)
SKU	APPO308A9F
UPC	6971842188918
Packing Dimensions	28.6 x 25.6 x 10.7cm / 11.3 x 10.1 x 4.2in
Net Weight	1.41kg / 3.11lbs
Gross Weight	1.73kg / 3.81lbs
Carton Quantity	10 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	19.30kg / 42.55lbs



### Sales & Shipping Information

Product Name	LP-28 to Type-I 10A Power Input AC Cable - 6m (CN)
SKU	APPO308A9G
UPC	6971842190171
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	0.90kg / 1.98lbs
Gross Weight	1.14kg / 2.51lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	17.50kg / 38.58lbs



### Sales & Shipping Information

Product Name	LP-28 to Type-B 20A Power Input AC Cable - 6m (US)
SKU	APPO308A9H
UPC	6971842181803
Packing Dimensions	28.6 x 25.6 x 7.7cm / 11.3 x 10.1 x 3.0in
Net Weight	1.00kg / 2.20lbs
Gross Weight	1.23kg / 2.71lbs
Carton Quantity	14 pcs
Carton Dimensions	57.0 x 53.5 x 31.0cm / 22.4 x 21.1 x 12.2in
Carton Weight	14.30kg / 31.53lbs



# Electro Storm Accessory Data Book

## CS15/XT26 Flight Case

### Product Description

The CS15/XT26 Flight Case is an empty protective rolling flight case designed to fit an Electro Storm CS15 or XT26 with its respective Control Box, Hand Cart, AC Power Cable, Head Cable, Removable Yoke, Barn Doors, and Medium Reflector,

### What's in the Box

Name	Qty
CS15/XT26 Flight Case	1

### Sales & Shipping Information

Product Name	CS15/XT26 Flight Case
SKU	APP3738A9C
UPC	6971842189038
Packing Dimensions	145.0 x 67.0 x 77.5cm / 57.1 x 26.4 x 30.5in
Net Weight	60.00 kg / 132.28lbs
Gross Weight	60.00 kg / 132.28lbs
Carton Quantity	1 pcs
Carton Dimensions	145.0 x 67.0 x 77.5cm / 57.1 x 26.4 x 30.5in
Carton Weight	60.00 kg / 132.28lbs