



STORM XT52 ACCESSORIES DATA BOOK

Aputure Mount Light Dome 150

Main Features

- Large 150cm (59.1in) soft box with Aputure Mount designed for the STORM XT52, Electro Storm XT26, Electro Storm CS15
- Includes 1.5-Stop and 2.5-Stop Diffusion Cloths and 50° Light Control Grid
- Ultra-soft, even illumination with no hotspots
- Includes soft carrying case

Photometrics

CCT	Dis.	STORM XT52, 1.5 Stop Cloth	Storm XT52, 2.5 Stop Cloth
2,500K	3m	14,740 lux 1,369 fc	11,500 lux 1,068 fc
	5m	4,930 lux 458 fc	3,560 lux 331 fc
3,200K	3m	18,260 lux 1,696 fc	14,380 lux 1,336 fc
	5m	6,150 lux 571 fc	4,460 lux 414 fc
4,300K	3m	21,340 lux 1,983 fc	16,840 lux 1,565 fc
	5m	7,190 lux 668 fc	5,230 lux 486 fc
5,600K	3m	20,700 lux 1,923 fc	16,300 lux 1,514 fc
	5m	7,000 lux 653 fc	5,100 lux 474 fc
10,000K	3m	14,680 lux 1,364 fc	11,670 lux 1,084 fc
	5m	5,000 lux 465 fc	3,640 lux 338 fc

What's in the Box

Name	Qty
Aputure Mount Light Dome 150	1
1.5-Stop Diffusion	1
2.5-Stop Diffusion	1
50° Light Control Grid	1
Carrying Bag	1



Product Description

The Aputure Mount Light Dome 150 is a large soft light modifier designed specifically for Aputure fixtures with an Aputure Mount, including the STORM XT52, Electro Storm XT26, and Electro Storm CS15. Featuring the new Aputure Smart Mount system, this dome brings the same reliability and diffusion quality as the original Light Dome 150, now optimized for our highest-output LED fixtures. Its wide 150cm diameter delivers ultra-soft, even illumination. The Aputure Smart Mount ensures secure, tool-free attachment and compatibility with Aputure's high-output professional fixtures.

Specifications

Diffusion Cloth Material		Polyester FDY
Control Grid Angle		50°
Dimensions	Soft Box (Built)	ø150.0 x 80.8cm ø59.1 x 31.8in
	Soft Box (Collapsed)	105.0 x 24.5 x 24.5cm 41.3 x 9.7 x 9.7in
Weight	Soft Box	3.20kg / 7.05lbs
	1-Stop Diffusion Cloth	0.1kg / 0.22lb
	2-Stop Diffusion Cloth	0.12kg / 0.26lb
	Light Control Grid	0.36kg / 0.79lb
	Carry Bag	0.13kg / 0.29lb

Sales & Shipping Information

Product Name	Aputure Mount Light Dome 150
SKU	AA0706015H
UPC	6977162454429
Packing Dimensions	110.5 x 25.9 x 26.8cm 43.5 x 10.2 x 10.6in
Net Weight	4.00kg / 8.82lbs
Gross Weight	4.85kg / 9.92lbs
Carton Quantity	2 pcs
Carton Dimensions	111.2 x 53.5 x 28.0cm 43.8 x 21.1 x 11.0in
Carton Weight	13.03kg / 28.73lbs



STORM XT52 ACCESSORIES DATA BOOK

Aputure Mount Lantern 120

Main Features

- Large 120cm omnidirectional soft box with Aputure Mount designed for the STORM XT52, Electro Storm XT26, Electro Storm CS15
- Quick-deploy internal latch system for fast modifier build and take-down times
- Ultra-soft, even illumination with attachable light control skirt flaps
- Includes soft carrying case

Photometrics

CCT	Dis.	STORM XT52	Electro Storm XT26	Electro Storm CS15
2,500K	3m	8,870 lux 824 fc	-	2,750 lux 255 fc
	5m	2,828 lux 263 fc	-	916 lux 85 fc
3,200K	3m	11,110 lux 1,032 fc	4,850 lux 451 fc	3,250 lux 302 fc
	5m	3,530 lux 328 fc	1,160 lux 108 fc	1,070 lux 99 fc
4,300K	3m	13,010 lux 1,209 fc	5,830 lux 541 fc	3,710 lux 345 fc
	5m	4,140 lux 385 fc	1,904 lux 177 fc	1,224 lux 114 fc
5,600K	3m	12,520 lux 1,164 fc	5,820 lux 541 fc	3,520 lux 327 fc
	5m	4,040 lux 375 fc	1,896 lux 176 fc	1,150 lux 107 fc
10,000K	3m	8,900 lux 827 fc	-	3,120 lux 290 fc
	5m	2,860 lux 266 fc	-	1,020 lux 95 fc

What's in the Box

Name	Qty
Aputure Mount Lantern 120	1
Light Control Skirt Flaps	4
Carrying Bag	1



Product Description

The Aputure Mount Lantern 120 is a versatile omnidirectional soft light modifier engineered for Aputure's high-output Aputure Mount fixtures, including the STORM XT52, Electro Storm XT26, and Electro Storm CS15 fixtures. Featuring a large 120cm diameter and the new Aputure Smart Mount system, this lantern builds on the popular Bowens mount Lantern 90, delivering broader, softer illumination ideal for lighting entire spaces or creating natural ambient light. Its durable construction, fast setup, and seamless compatibility with Aputure's latest high-output professional fixtures make it an essential tool for filmmakers and lighting technicians seeking consistent soft lighting at scale.

Specifications

Support Rod Material		Steel
Dimensions	Lantern (Built)	ø120.0 x 81.3cm ø47.2 x 32.0in
	Lantern (Collapsed)	149.0 x 19.0 x 19.0cm 58.7 x 7.5 x 7.5in
Weight	Lantern	2.41kg / 5.31lbs
	Lantern with Skirt	3.31kg / 7.30lbs
	Carry Bag	0.13kg / 0.29lb

Sales & Shipping Information

Product Name	Aputure Mount Lantern 120
SKU	AA0706015J
UPC	6977162454436
Packing Dimensions	153.9 x 23.5 x 23.5cm 60.6 x 9.3 x 9.3in
Net Weight	3.31kg / 7.30lbs
Gross Weight	4.3kg / 9.48lbs
Carton Quantity	2 pcs
Carton Dimensions	155.7 x 49.0 x 25.8cm 61.3 x 19.3 x 10.2in
Carton Weight	12.86kg / 28.35lbs



STORM XT52 ACCESSORIES

DATA BOOK

STORM XT52 Skid

Product Description

The STORM XT52 Skid is a stainless-steel skid attachment that secures to the bottom of the STORM XT52. It enables users to safely place their fixture flat on the ground without the risk of the fixture tipping over, even with a CF16 Fresnel attached to the front of the light. This skid features a cutout at the rear which allows for clearance of the STORM XT52's head cable when users are tilting the fixture up and down on a stand. With this Skid mounted, the STORM XT52 with its head cable, a CF16 Fresnel, and CF16 Barn Doors attached can sit safely on a head cart or shelf.

What's in the Box

Name	Qty
STORM XT52 Skid	1



Specifications

Skid Material	Steel
Skid Dimensions	64.0 x 34.7 x 15.5cm 25.2 x 13.7 x 6.1in
Skid Weight	3.30kg / 7.28lbs

Sales & Shipping Information

Product Name	STORM XT52 Skid
SKU	AA0706028V
UPC	6977162457208
Packing Dimensions	70.0 x 41.0 x 22.0cm 27.6 x 16.1 x 8.7in
Net Weight	3.25kg / 7.17lbs
Gross Weight	4.62kg / 10.19kg
Carton Quantity	1 pc
Carton Dimensions	70.0 x 41.0 x 22.0cm 27.6 x 16.1 x 8.7in
Carton Weight	4.83kg / 10.65lbs