



Spotlight Mini Data Sheet

Main Features

- Compact projector lens modifier with Mini ProLock Mount for STORM 80c
- 19° and 36° lenses available
- Rotating barrel allows for precise rotational projection adjustments without the need to individually adjust shutters or remove gobo inserts
- Custom precision optics with minimal chromatic aberration and color shift
- Efficient light-blending optical design
- Telecentric element groups for even edge-to-edge light distribution and minimal distortion of projection beam
- Spotlight Mini Iris separately available for fine tune control of projection beam size
- Included gobo clip compatible with M-Size Gobos along with glass gobos
- 10x M-Size gobos included for projecting fine patterns
- Standard gel clip included
- Built-in 4-leaf cutter for precise light shaping
- Durable all-metal build
- Included soft carrying case

Target Audience

The Aputure Spotlight Mini is an essential tool for STORM 80c users across many professions.

Cinematographers and lighting technicians seeking precise control over beam shape and projection in compact lighting setups will appreciate its efficient optics and interchangeable lenses. This allows users to achieve refined, textural lighting with minimal distortion, making it ideal for narrative and commercial work alike.

Video professionals will appreciate the Spotlight Mini's portability and seamless integration with the STORM 80c, offering a lightweight yet powerful projection solution for interviews, product shoots, and on-location content creation where space is limited but control is critical.

Photographers looking to sculpt light for portraits, still life, or creative sets will benefit from the Spotlight Mini's even edge-to-edge illumination, built-in cutters, and gobo capabilities, enabling them to craft striking visuals without bulky modifiers.

The Spotlight Mini expands the creative possibilities of the STORM 80c, making it a go-to projection tool for any professional lighting workflow.



Product Description

The Spotlight Mini is a compact projection lens modifier designed specifically for use with the STORM 80c via its dedicated Mini ProLock Mount. Engineered for precision and portability, the Spotlight Mini transforms the STORM 80c into an extremely precise shaping tool, ideal for creating controlled, textured beams of light in tight shooting environments.

Utilizing meticulously engineered custom optical elements, the Spotlight Mini ensures an even edge-to-edge beam with minimal chromatic aberration and color shift, while efficiently blending the STORM 80c's BLAIR-CG output into a uniform projection. The rotating barrel allows users to precisely make rotational projection adjustments without the need to individually adjust shutters or remove gobo inserts, providing flexibility when projecting patterns and textures.

Available with 19° and 36° interchangeable lenses, the Spotlight Mini gives users the ability to fine-tune the size and focus of their projector modifier. The included gobo clip accepts M-size metal and glass gobos, with 10 M-size gobos included in the kit for added creative flexibility. An optional Spotlight Mini Iris is also available to further refine beam size without repositioning or swapping lenses.

With its integrated 4-leaf cutter, standard gel frame, and durable all-metal construction, the Spotlight Mini offers a complete projection solution in a compact footprint. Its included soft carrying case ensures portability and protection, making it an essential tool for professionals who need precision lighting control in any environment.



Spotlight Mini 19° Kit Photometrics

CCT	Dis.	With STORM 80c
1,800K	1m	30,100 lux 2,798 fc
	3m	2,331 lux 217 fc
3,200K	1m	41,000 lux 3,811 fc
	3m	3,200 lux 297 fc
4,300K	1m	42,700 lux 3,969 fc
	3m	3,320 lux 309 fc
5,600K	1m	42,000 lux 3,904 fc
	3m	3,270 lux 304 fc
6,500K	1m	41,300 lux 3,839 fc
	3m	3,220 lux 299 fc
10,000K	1m	37,800 lux 3,513 fc
	3m	2,970 lux 276 fc
20,000K	1m	34,800 lux 3,234 fc
	3m	2,735 lux 254 fc



Spotlight Mini 19° Kit Specifications

Dimensions	Spotlight Mini	28.0 x 14.9 x 25.8cm 11.0 x 5.9 x 10.2 in
	With STORM 80c	44.3 x 16.7x 25.8cm 17.4 x 6.6 x 10.2in
Weight	Spotlight Mini	2.60kg / 5.70lbs
	With STORM 80c	3.95kg / 8.80lbs

What's in the Box

Name	Qty
Spotlight Mini	1
Spotlight Mini 19° Lens	1
Gobo Holder Gobo	1
M-Size Gobo	10
Gel Holder	1
Carrying Bag	1

Sales & Shipping Information

Product Name	Aputure Spotlight Mini 19° Lens Kit
SKU	AA0706012E
UPC	6977162453590
Packing Dimensions	34.5 x 21.0 x 32.7cm 13.6 x 8.3 x 12.9 in
Net Weight	2.85kg / 6.27lb
Gross Weight	4.65kg / 10.23lb
Carton Quantity	3 pcs
Carton Dimensions	64.5 x 36.0 x 37.3cm 25.3 x 14.1 x 14.7in
Carton Weight	10.3kg / 22.66lb





Spotlight Mini 36° Kit Photometrics

CCT	Dis.	With STORM 80c
1,800K	1m	8,300 lux 771 fc
	3m	689 lux 64 fc
3,200K	1m	11,340 lux 1,054 fc
	3m	942 lux 88 fc
4,300K	1m	11,820 lux 1,099 fc
	3m	989 lux 92 fc
5,600K	1m	11,600 lux 1,078 fc
	3m	965 lux 90 fc
6,500K	1m	11,360 lux 1,056 fc
	3m	947 lux 88 fc
10,000K	1m	10,530 lux 979 fc
	3m	872 lux 81 fc
20,000K	1m	9,700 lux 902 fc
	3m	804 lux 75 fc



Spotlight Mini 36° Kit Specifications

Dimensions	Spotlight Mini	28.8 x 14.9 x 25.8cm 11.3 x 5.9 x 10.2in
	With STORM 80c	43.9 x 16.7 x 25.8cm 17.3 x 6.6 x 10.2in
Weight	Spotlight Mini	2.31kg / 5.10lbs
	With STORM 80c	3.66kg / 8.10lbs

What's in the Box

Name	Qty
Spotlight Mini	1
Spotlight Mini 36° Lens	1
Gobo Holder Gobo	1
M-Size Gobo	10
Gel Holder	1
Carrying Bag	1

Sales & Shipping Information

Product Name	Aputure Spotlight Mini 36° Lens Kit
SKU	AA0706012F
UPC	6977162453606
Packing Dimensions	34.5 x 21.0 x 32.7cm 13.6 x 8.26 x 12.9in
Net Weight	2.56kg / 5.62lb
Gross Weight	4.36kg / 9.58lb
Carton Quantity	3 pcs
Carton Dimensions	64.5 x 36.0 x 37.3 cm 25.3 x 14.1 x 14.67in
Carton Weight	14.47kg / 31.90lbs





Spotlight Mini 19° Lens

Product Description

The Spotlight Mini 19° Lens is a tight 19° precision projection lens designed for use with the Aputure Spotlight Mini.

What's in the Box

Name	Qty
Spotlight Mini 19° Lens	1

Spotlight Mini 36° Lens

Product Description

The Spotlight Mini 36° Lens is a medium 36° precision projection lens designed for use with the Aputure Spotlight Mini.



What's in the Box

Name	Qty
Spotlight Mini 36° Lens	1

Aputure Spotlight Iris (M-Size)

Product Description

The Aputure Spotlight Iris (M-Size) is an all-metal M-Size iris designed for use with the Spotlight Mini. It's 18-blade design ensures smooth projection edges as it opens and closes, allowing users to precisely control the size of their Spotlight Mini beam.

What's in the Box

Name	Qty
Aputure Spotlight Iris (M-Size)	1

Sales & Shipping Information

Product Name	Spotlight Mini 19° Lens
SKU	AA0706012G
UPC	6977162453613
Packing Dimensions	16.0 x 16.0 x 20.5cm / 6.3 x 6.3 x 8.1in
Net Weight	1.09kg / 2.30lbs
Gross Weight	1.30kg / 2.86lbs
Carton Quantity	12 pcs
Carton Dimensions	64.5 x 36.0 x 37.3cm / 25.3 x 14.1 x 14.7in
Carton Weight	14.60kg / 32.30lbs

Sales & Shipping Information

Product Name	Spotlight Mini 36° Lens
SKU	AA0706012H
UPC	6977162453620
Packing Dimensions	16.0 x 16.0 x 20.5cm / 6.3 x 6.3 x 8.1in
Net Weight	0.85kg / 1.80lb
Gross Weight	1.10kg / 2.40lb
Carton Quantity	12 pcs
Carton Dimensions	64.5 x 36.0 x 37.3cm / 25.3 x 14.1 x 14.7in
Carton Weight	14.00kg / 30.80lbs



Sales & Shipping Information

Product Name	Aputure Spotlight Iris (M-Size)
SKU	AA0706012U
UPC	6977162453736
Packing Dimensions	13.4 x 12.1 x 2.0cm / 5.3 x 4.8 x 0.8 in
Net Weight	0.08kg / 0.17lb
Gross Weight	0.11kg / 0.24lb
Carton Quantity	72 pcs
Carton Dimensions	42.5 x 28.5 x 28.6cm / 16.7 x 11.2 x 11.2 in
Carton Weight	9.06kg / 19.97lbs